



COLOSSEUM RANGE

SYMMETRICAL AND ASYMMETRICAL HIGH-POWER FLOODLIGHTS





COLOSSEUM RANGE

CONVENTIONAL WIRING



SYMMETRICAL DIFFUSED OPTICS

WIRED VERSIONS WITH P.F. CORRECTION - IP66 - CLASS I



GW84647



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 646	600 W	ST	E40	6.2 A	Graphite grey	12.8	1
GW 84 647	1000 W	MT/ST	E40	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 648	1000 W	MT*	E40	8.25 A	Graphite grey	12.8	1
GW 84 649	1000 W	MN	X528/CABLE	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 644	2000 W	MN	X528/CABLE	9.8 A	Graphite grey	12.8	1

* Lamp with 0,7 ÷ 1KV striking voltage.

ACCESSORIES SUPPLIED: ignitor.

NOTE: to be used with the relative supply unit.

NON-WIRED VERSION



GW84693



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 693	1000 W	-	E40		Graphite grey	12	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical items: lampholder with cables, supply terminal.

Devices are supplied with standard service items.

NEW

COLOSSEUM RANGE

SYMMETRICAL AND ASYMMETRICAL HIGH-POWER FLOODLIGHTS



ASYMMETRICAL DIFFUSED OPTICS

GW84658



WIRED VERSIONS WITH P.F. CORRECTION - IP66 - CLASS I



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 658	600 W	ST	E40	6.2 A	Graphite grey	12.8	1
GW 84 659	1000 W	MT/ST	E40	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 660	1000 W	MT*	E40	8.25 A	Graphite grey	12.8	1

* Lamp with 0,7 ÷ 1KV striking voltage.

ACCESSORIES SUPPLIED: ignitor.

NOTE: to be used with the relative supply unit.

GW84694



NON-WIRED VERSION



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 694	1000 W	-	E40		Graphite grey	12	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal.


The device is supplied with standard service items.

SYMMETRICAL RESTRICTED BEAM OPTICS

GW84747



WIRED VERSIONS WITH P.F. CORRECTION - IP66 - CLASS I



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 747	1000 W	MT/ST	E40	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 748	1000 W	MT*	E40	8.25 A	Graphite grey	12.8	1
GW 84 749	1000 W	MN	X528/CABLE	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 744	2000 W	MN	X528/CABLE	9.8 A	Graphite grey	12.8	1

* Lamp with 0,7 ÷ 1KV striking voltage.

ACCESSORIES SUPPLIED: ignitor.

NOTE: to be used with the relative supply unit.

GW84695



NON-WIRED VERSION



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 695	1000 W	-	E40		Graphite grey	12	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal.

The device is supplied with standard service items.

NEW

COLOSSEUM RANGE

SYMMETRICAL AND ASYMMETRICAL HIGH-POWER FLOODLIGHTS



COLOSSEUM RANGE

ASYMMETRICAL RESTRICTED BEAM OPTICS

WIRED VERSIONS WITH P.F. CORRECTION - IP66 - CLASS I

GW84759



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 759	1000 W	MT/ST	E40	9.5 - 10.3 A	Graphite grey	12.8	1
GW 84 760	1000 W	MT*	E40	8.25 A	Graphite grey	12.8	1

* Lamp with 0,7 ÷ 1KV striking voltage.

ACCESSORIES SUPPLIED: ignitor.

NOTE: to be used with the relative supply unit.

NON-WIRED VERSION

GW84696



Code	Max. lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
GW 84 696	1000 W	-	E40		Graphite grey	12	1

ACCESSORIES SUPPLIED: structural components: reflector, accessory-holding plate. Electrical components: lampholder with cables, supply terminal.

The device is supplied with standard service items.

CIRCULAR OPTICS

WIRED VERSIONS - IP66 - CLASS I

GW84656



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Colour	Weight (Kg)	Pack Carton
BEAM: RESTRICTED - 8°							
GW 84 656	1000 W	MN	CABLE	9.5 A	Graphite grey	12.6	1
GW 84 657	2000 W	MN	CABLE	11.3 A	Graphite grey	12.6	1
BEAM: MEDIUM - 25°							
GW 84 754	1000 W	MN	CABLE	9.5 A	Graphite grey	12.6	1
GW 84 755	2000 W	MN	CABLE	11.3 A	Graphite grey	12.6	1
BEAM: DIFFUSED - 40°							
GW 84 756	1000 W	MN	CABLE	9.5 A	Graphite grey	12.6	1
GW 84 757	2000 W	MN	CABLE	11.3 A	Graphite grey	12.6	1

ACCESSORIES SUPPLIED: ignitor.

NOTE: to be used with the relative supply unit.

COMPLEMENTARY ITEMS

GW84611



SUPPLY UNIT - IP66 - CLASS I

Code	Lamp power	Lamp type	Lamp current	Voltage	Weight (Kg)	Pack Carton
GW 84 611	600 W	ST	6.2 A	230 V - 50 Hz	10.5	1
GW 84 616	1000 W	MT/MN/ST	9.5 - 10.3 A	230 V - 50 Hz	14.5	1
GW 84 627	1000 W	MT	8.25 A	230 V - 50 Hz	14.5	1
GW 84 621	2000 W	MT/MN	9.8 - 11.3 A	400 V - 50 Hz	18	1
GW 84 626		Box not wired			3.2	1

NOTE: the unwired box is supplied with supply unit support plate, cable clamp and cable gland Pg 13,5.

WIRING FOR HOT RE-STRIKE

CIRCULAR OPTICS



GW84761

WIRED VERSIONS WITH P.F. CORRECTION - IP66 - CLASS I



Code	Lamp power	Lamp type	Lamp holder	Lamp current	Beam	Colour	Weight (Kg)	Pack Carton
GW 84 761	2000 W	MN	CABLE	11.3 A	Restricted - 8°	Graphite grey	13	1
GW 84 766	2000 W	MN	CABLE	11.3 A	Medium - 25°	Graphite grey	13	1
GW 84 771	2000 W	MN	CABLE	11.3 A	Diffused - 40°	Graphite grey	13	1

COMPLEMENTARY ITEMS



GW84624

SUPPLY UNIT



Code	Lamp power	Lamp type	Lamp current	Voltage	Weight (Kg)	Pack Carton
GW 84 624	2000 W	MN	11.3 A	380 / 415 V - 50 Hz	28	1

COLOSSEUM RANGE - COMMON ARTICLES

COMPLEMENTARY ITEMS



GW84781

COMPLEMENTARY COMPONENTS

Code	Description	Weight (Kg)	Pack Carton
GW 84 781	Visor	3.8	1

SPARE PARTS

Code	Description	Dimension (mm)	Weight (Kg)	Pack Carton
GW 88 261	Transparent glass	470x440	2.5	1/2
GW 88 285	Diffused glass	470x440	2.5	1/2

GW88285: spare part for diffused beam floodlights GW84756 and GW84757.